


The information provided herein is from CONNELY Electronic Co., Ltd. and is confidential. Any disclosure to a party other than the recipient is prohibited. The intellectual properties and its rights contained herein, including but not limited to, trademarks, patents, copyrights, trade secrets, and technical know-how, are owned exclusively by CONNELY or its affiliates. Unauthorized use of this information in any format or manner. CONNELY may enforce its intellectual property rights at its own discretion; failures or delays to exercise such rights does not constitute a waiver of such rights.



(Series Image-Reference Only)

REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	JLZ 05/07/18'		
B	DRAWING UPDATE	JLZ 09/12/20'		
C	DRAWING UPDATE	JLZ 07/30/24'		

Notes:

- 1.Material: Nylon,Color:Nature.
- 2.Current Rating:1.0A AC/DC.
- 3.Voltage Rating:125V AC/DC.
- 4.Temperature Range:-25~+85°C.
- 5.Part Number Code:

I - DS1147-06 - S C X 0 X

No.of Housing
02~20

Housing Color
W:Ivory


GENERAL TOLERANCE		ANGLE TOLERANCE		PROJECTION		TITLE	1.25mm Connector Housing H=1.75mm	
X.	±0.60	X.	±5°	UNITS	mm			
.X	±0.38	.X	±3°	SHEET SIZE	A4	SERIES	DS1147-06 SERIES	
.XX	±0.25	.XX	±2°	 晨翔电子有限公司 CONNFLY CONNFLY ELECTRONIC CO. LTD				
DRAWING TYPE		CUSTOMER						
SCALE	1:1	SHEET	2 OF 3					
DRAWING NO.	C-DS1147-06-XXXXXX-C							

1
2
3
4
5
6
7
8

A
B
C
D
E
F
G
H

Dept
Qty
DC 1
ED 1
IE 1
ISO 1
PD 1
R&D 1
SD 1
QA 1
QC 1
QE 1

The information provided herein is from CONNELY Electronic Co., Ltd. and is confidential. Any disclosure to a party other than the recipient is prohibited. The intellectual properties and its rights contained herein, including but not limited to, trademarks, patents, copyrights, trade secrets, and technical know-how, are owned exclusively by CONNELY or its affiliates. Unauthorized use or reproduction of this document is strictly prohibited. CONNELY may enforce its intellectual property rights at its own discretion, failures or delays to exercise such rights does not constitute a waiver of such rights.



(Series Image-Reference Only)

GENERAL TOLERANCE		ANGLE TOLERANCE	
X.	±0.60	X.	±5°
.X	±0.38	.X	±3°
.XX	±0.25	.XX	±2°
DRAWING TYPE		CUSTOMER	
SCALE	1:1	SHEET	3 OF 3
DRAWING NO.	C-DS1147-06-XXXXXX-B		

REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	JLZ 05/07/18'		
B	DRAWING UPDATE	JLZ 09/12/20'		

Notes:

1. Material: Copper Alloy, Gold Plated.
2. Current Rating: 1.0A AC/DC.
3. Voltage Rating: 125V AC/DC.
4. Temperature Range: -25~+85°C.
5. Part Number Code:
T - DS1147-06 - S C X 0 0

Plating Type
8: Gold flash

PROJECTION		TITLE	
UNITS	mm	1.25mm Connector Terminal	
SHEET SIZE	A4	SERIES	DS1147-06 SERIES
晨翔电子有限公司 CONNFLY CONNELY ELECTRONIC CO. LTD			